Public Health - Madison and Dane County 2300 South Park Street, Room 2010 Madison, WI 53713

608-242-6515 - FAX 608-242-6435 www.publichealthmdc.com

School Food Service Inspection Report

10/22/2019 at 1:28 pm PRAIRIE VIEW MIDDLE SCHOOL

400 N THOMPSON RD SUN PRAIRIE, WI 53590

License Number:	LICSCD-2010-00116
Inspection Type:	Routine Inspection

SUMMARY

Repeat Violations:	0
Priority Violations:	1
Additional Violations:	1
Total Violations:	2
Reinspection Required:	Yes

YOU ARE HEREBY ORDERED TO CORRECT THE FOLLOWING VIOLATIONS OF MADISON/DANE COUNTY GENERAL ORDINANCES AND STATE ADMINISTRATIVE CODE:

Priority Violations

TEMPERATURE - HOT HOLDING

Observation: Chicken tenders in metro glass hot box being hot held at 112 degrees F. Corrective action: Maintain hot TCS foods at or above 135 degrees F. Code reference: WFC 3-501.16 Time/Temperature Control Action taken notes:

Additional Violations

THERMOMETER - INACCURATE INDICATING

Comply by: 10/29/2019

10/22/2019

Comply by:

Observation: Thermometer in Metro glass hot box is not functional. Corrective action: Calibrate or replace thermometer. Code reference: WFC 4-203.12 Good Retail Practice Action taken notes:

Inspection Details	
Cold Temps:	Salad bar- Cut lettuce 50 F, diced tomatoes 48 F. Walk in cooler #1: Pizza 31 F, Walk in cooler #2: Cheese 40 F.
Cook Temps:	N/O
Cooling Time and Temps:	N/O

Dishwashing Facilities:	Hobart high temp dish machine: Final rinse 189 F, Okay. Wiping cloth bucket: Chlorine 50 ppm
Hot Temps:	Steam table #1: Taco meat 170 F on dial 1; Chicken tenders 137 F on dial 2. Steam table #2: Taco meat 171 F on dial 1; Chicken tenders 153 F on dial 2. Metro hot box: chicken tenders 112 F. Hot box #2: Chicken tenders 142 F.
Person in Charge:	Nicole M O'Maley
Receiving Temps:	N/O
Reheating Time and Temps:	N/O

Notes

CFM: Nicole M O'Malley, Expire 01/06/2020; Linda K Shumpert, expire 4/8/2020

Cathy Berk	
Print Name	The Borh

	\sim
Signature	16

10/22/2019 Date 10/22/2019 Date

Sanitarian Signature

Lamin Jadama Phone: 608-243-0327 LJadama@publichealthmdc.com

Questions concerning this report should be directed to the Sanitarian listed above or by phone at (608) 242-6515. Any operator aggrieved by the above order may request a hearing by contacting the Board of Health, Madison and Dane County, 210 Martin Luther King Jr. Blvd. Room 507, City-County Building, Madison, WI 53703, by written notice no later than fifteen (15) days from the date of this report. According to 19.35, Wis. Statutes, this record may be made available for public review or copying upon request.